

天然气管网设施剩余能力

| 设施名称 | 月份 | 剩余能力 (万吨/天、万方/天) | 接收站点 | 分输站点 |
|--------------------------------|----|---------------------|----------------|---|
| 靖边至西安天然气输气管道 | 1 | 0.0 | 靖边压气站 化子坪首站 | 靖边压气站、化子坪首站、安塞分输站、延安压气站、延安分输站、杨家湾分输站、甘泉分输站、富县压气站、洛川分输站、黄陵压气站、宜君阀室、铜川分输站、铜川新区分输站、义和分输站、泾河分输清管站、泾河分输站、西安未央分输站、咸阳分输站 |
| | 2 | 15.0 | | |
| | 3 | 180.0 | | |
| | 4 | 216.0 | | |
| | 5 | 216.0 | | |
| | 6 | 220.0 | | |
| | 7 | 226.0 | | |
| | 8 | 224.0 | | |
| | 9 | 210.0 | | |
| | 10 | 208.0 | | |
| | 11 | 82.0 | | |
| | 12 | 0.0 | | |
| 咸阳至宝鸡天然气输气管道 | 1 | 0.0 | / | 兴平分输站、武功分输站、杨凌分输站、常兴分输站、蔡家坡分输站、虢镇分输站、宝鸡分输站 |
| | 2 | 0.0 | | |
| | 3 | 12.0 | | |
| | 4 | 28.0 | | |
| | 5 | 30.0 | | |
| | 6 | 30.0 | | |
| | 7 | 44.0 | | |
| | 8 | 29.0 | | |
| | 9 | 25.0 | | |
| | 10 | 24.0 | | |
| | 11 | 15.0 | | |
| | 12 | 0.0 | | |
| 西安至渭南天然气输气管道 | 1 | 0.0 | / | 临潼分输站、渭南分输站 |
| | 2 | 0.0 | | |
| | 3 | 0.0 | | |
| | 4 | 5.0 | | |
| | 5 | 5.0 | | |
| | 6 | 5.0 | | |
| | 7 | 5.0 | | |
| | 8 | 5.0 | | |
| | 9 | 5.0 | | |
| | 10 | 5.0 | | |
| | 11 | 0.0 | | |
| | 12 | 0.0 | | |
| 靖西二线输气管道 | 1 | 196.0 | 靖边压气站 | 靖边压气站、延安压气站、富县压气站、黄陵压气站、泾河分输清管站、泾河分输站、西安未央分输站 |
| | 2 | 245.0 | | |
| | 3 | 439.0 | | |
| | 4 | 547.0 | | |
| | 5 | 549.0 | | |
| | 6 | 567.0 | | |
| | 7 | 578.0 | | |
| | 8 | 572.0 | | |
| | 9 | 530.0 | | |
| | 10 | 523.0 | | |
| | 11 | 447.0 | | |
| | 12 | 320.0 | | |
| 宝鸡至汉中输气管道 | 1 | 0.0 | / | 太白分输站、南河分输站、汉中分输站 |
| | 2 | 2.0 | | |
| | 3 | 6.0 | | |
| | 4 | 27.0 | | |
| | 5 | 29.0 | | |
| | 6 | 27.0 | | |
| | 7 | 28.0 | | |
| | 8 | 26.0 | | |
| | 9 | 32.0 | | |
| | 10 | 24.0 | | |
| | 11 | 3.0 | | |
| | 12 | 0.0 | | |
| 咸阳至宝鸡输气管道复线 (关中环线泾阳-礼泉-眉县段) | 1 | 0.0 | 永乐分输站 | 礼泉分输站、乾县分输站、眉县分输站 |
| | 2 | 0.0 | | |
| | 3 | 12.0 | | |
| | 4 | 27.0 | | |
| | 5 | 30.0 | | |
| | 6 | 29.0 | | |
| | 7 | 43.0 | | |
| | 8 | 28.0 | | |
| | 9 | 24.0 | | |
| | 10 | 23.0 | | |
| | 11 | 14.0 | | |
| | 12 | 0.0 | | |
| 西安至商州输气管道 | 1 | 9.0 | / | 西安灞桥分输站、商州分输站 |
| | 2 | 12.0 | | |
| | 3 | 31.0 | | |
| | 4 | 39.0 | | |
| | 5 | 40.0 | | |
| | 6 | 41.0 | | |
| | 7 | 40.0 | | |
| | 8 | 41.0 | | |

| | | | | |
|--------------------------------|----|--------|------------|---|
| | 9 | 41.0 | | |
| | 10 | 40.0 | | |
| | 11 | 29.0 | | |
| | 12 | 13.0 | | |
| 汉中至安康天然气输气管道 | 1 | 91.0 | / | 城固分输站、西乡分输站、石泉分输站、汉阴分输站、安康分输站 |
| | 2 | 94.0 | | |
| | 3 | 111.0 | | |
| | 4 | 117.0 | | |
| | 5 | 118.0 | | |
| | 6 | 117.0 | | |
| | 7 | 117.0 | | |
| | 8 | 117.0 | | |
| | 9 | 116.0 | | |
| | 10 | 115.0 | | |
| | 11 | 110.0 | | |
| | 12 | 91.0 | | |
| 靖边至西安天然气输气管道三线(一期) | 1 | 356.0 | 安边压气站 | 旦八分输站、永宁分输站、张村驿压气站、店头分输站、永乐分输站 |
| | 2 | 544.0 | | |
| | 3 | 1337.0 | | |
| | 4 | 1830.0 | | |
| | 5 | 1850.0 | | |
| | 6 | 1775.0 | | |
| | 7 | 1637.0 | | |
| | 8 | 1634.0 | | |
| | 9 | 1627.0 | | |
| | 10 | 1660.0 | | |
| | 11 | 952.6 | | |
| | 12 | 177.0 | | |
| 靖边至西安天然气输气管道三线(二期保安至旦八天然气输气管道) | 1 | 674.0 | 志丹压气站 | 刘坪分输站、旦八分输站 |
| | 2 | 686.0 | | |
| | 3 | 699.0 | | |
| | 4 | 733.0 | | |
| | 5 | 834.0 | | |
| | 6 | 711.0 | | |
| | 7 | 860.0 | | |
| | 8 | 744.0 | | |
| | 9 | 685.0 | | |
| | 10 | 748.0 | | |
| | 11 | 830.0 | | |
| | 12 | 699.0 | | |
| 靖边至西安天然气输气管道三线(三期) | 1 | 1333.0 | 靖边压气站安边压气站 | 靖边压气站、安边压气站 |
| | 2 | 1500.0 | | |
| | 3 | 2036.0 | | |
| | 4 | 2235.0 | | |
| | 5 | 2143.0 | | |
| | 6 | 2120.0 | | |
| | 7 | 1896.0 | | |
| | 8 | 2060.0 | | |
| | 9 | 2242.0 | | |
| | 10 | 1997.0 | | |
| | 11 | 1662.0 | | |
| | 12 | 1077.0 | | |
| 关中环线储气调峰管道 | 1 | 853.0 | 永乐分输站 | 通远分输站、新兴分输站、西安临潼分输站、零口分输站、蓝田工业园分输站、安村清管站、西安长安分输站、滦镇分输站、户县分输站、南堡分输清管站、周至分输站、哑柏分输清管、眉县分输站 |
| | 2 | 1098.0 | | |
| | 3 | 1919.0 | | |
| | 4 | 2404.0 | | |
| | 5 | 2360.0 | | |
| | 6 | 2295.0 | | |
| | 7 | 2236.0 | | |
| | 8 | 2296.0 | | |
| | 9 | 2325.0 | | |
| | 10 | 2352.0 | | |
| | 11 | 1628.0 | | |
| | 12 | 744.0 | | |
| 关中环线渭南支线 | 1 | 134.0 | / | 渭南天然气高新门站 |
| | 2 | 142.0 | | |
| | 3 | 165.0 | | |
| | 4 | 171.0 | | |
| | 5 | 165.0 | | |
| | 6 | 167.0 | | |
| | 7 | 178.0 | | |
| | 8 | 177.0 | | |
| | 9 | 177.0 | | |
| | 10 | 177.0 | | |
| | 11 | 157.0 | | |
| | 12 | 121.0 | | |
| 关中环线杨凌支线 | 1 | 227.0 | / | 杨凌LNG分输站 |
| | 2 | 228.0 | | |
| | 3 | 229.0 | | |
| | 4 | 181.0 | | |
| | 5 | 158.0 | | |
| | 6 | 82.0 | | |
| | 7 | 63.0 | | |
| | 8 | 60.0 | | |
| | 9 | 101.0 | | |

| | | | | |
|----------------------------|----|-------|--------|-------------------------|
| | 10 | 102.0 | | |
| | 11 | 204.0 | | |
| | 12 | 228.0 | | |
| 汉安线和中贵线联络线输气管道 (汉勉线) | 1 | 271.0 | / | 勉县分输站 |
| | 2 | 271.0 | | |
| | 3 | 272.0 | | |
| | 4 | 273.0 | | |
| | 5 | 273.0 | | |
| | 6 | 273.0 | | |
| | 7 | 272.0 | | |
| | 8 | 271.0 | | |
| | 9 | 272.0 | | |
| | 10 | 272.0 | | |
| | 11 | 271.0 | | |
| | 12 | 270.0 | | |
| 汉安线和中贵线联络线输气管道 (勉县至康县段) | 1 | 274.0 | 康县分输站 | 康县分输站、略阳分输站、勉县分输站 |
| | 2 | 274.0 | | |
| | 3 | 274.0 | | |
| | 4 | 274.0 | | |
| | 5 | 274.0 | | |
| | 6 | 274.0 | | |
| | 7 | 274.0 | | |
| | 8 | 274.0 | | |
| | 9 | 269.0 | | |
| | 10 | 274.0 | | |
| | 11 | 274.0 | | |
| | 12 | 272.0 | | |
| 商洛至商南天然气输气管道 (商洛至丹凤段) | 1 | 80.0 | / | 丹凤分输站 |
| | 2 | 80.0 | | |
| | 3 | 80.0 | | |
| | 4 | 80.0 | | |
| | 5 | 80.0 | | |
| | 6 | 80.0 | | |
| | 7 | 80.0 | | |
| | 8 | 80.0 | | |
| | 9 | 80.0 | | |
| | 10 | 80.0 | | |
| | 11 | 80.0 | | |
| | 12 | 79.0 | | |
| 眉县至陇县天然气输气管道 | 1 | 95.0 | / | 凤翔分输站、千阳分输站、草碧分输站、陇县分输站 |
| | 2 | 90.0 | | |
| | 3 | 105.0 | | |
| | 4 | 114.0 | | |
| | 5 | 114.0 | | |
| | 6 | 115.0 | | |
| | 7 | 115.0 | | |
| | 8 | 115.0 | | |
| | 9 | 114.0 | | |
| | 10 | 114.0 | | |
| | 11 | 112.0 | | |
| | 12 | 106.0 | | |
| 姚店至河庄坪输气管道 | 1 | 0.0 | 姚店压气站 | 姚店压气站、延安压气站 |
| | 2 | 10.0 | | |
| | 3 | 91.0 | | |
| | 4 | 160.0 | | |
| | 5 | 176.0 | | |
| | 6 | 188.0 | | |
| | 7 | 183.0 | | |
| | 8 | 234.0 | | |
| | 9 | 167.0 | | |
| | 10 | 298.0 | | |
| | 11 | 164.0 | | |
| | 12 | 165.0 | | |
| 延炼供气专线 | 1 | 24.0 | / | 交口河分输站 |
| | 2 | 24.0 | | |
| | 3 | 25.0 | | |
| | 4 | 26.0 | | |
| | 5 | 26.0 | | |
| | 6 | 27.0 | | |
| | 7 | 26.0 | | |
| | 8 | 26.0 | | |
| | 9 | 25.0 | | |
| | 10 | 24.0 | | |
| | 11 | 25.0 | | |
| | 12 | 25.0 | | |
| 西气东输二线高陵站至永乐站联络线 | 1 | 482.0 | 西二线高陵站 | 永乐分输站 |
| | 2 | 489.0 | | |
| | 3 | 549.0 | | |
| | 4 | 600.0 | | |
| | 5 | 600.0 | | |
| | 6 | 600.0 | | |
| | 7 | 600.0 | | |
| | 8 | 600.0 | | |
| | 9 | 600.0 | | |
| | 10 | 586.0 | | |

| | | | | |
|----------------------------------|----|-------|-----------|---------------|
| | 11 | 486.0 | | |
| | 12 | 432.0 | | |
| 咸宝线至LNG站联络线 | 1 | 172.0 | / | 杨凌LNG分输站 |
| | 2 | 283.0 | | |
| | 3 | 288.0 | | |
| | 4 | 275.0 | | |
| | 5 | 277.0 | | |
| | 6 | 266.0 | | |
| | 7 | 266.0 | | |
| | 8 | 263.0 | | |
| | 9 | 263.0 | | |
| | 10 | 263.0 | | |
| | 11 | 186.0 | | |
| | 12 | 236.0 | | |
| 关中环线与西商线连接线 输气管道 | 1 | 95.0 | / | 安村清管站、西安灞桥分输站 |
| | 2 | 283.0 | | |
| | 3 | 665.0 | | |
| | 4 | 895.0 | | |
| | 5 | 900.0 | | |
| | 6 | 900.0 | | |
| | 7 | 900.0 | | |
| | 8 | 782.0 | | |
| | 9 | 657.0 | | |
| | 10 | 627.0 | | |
| | 11 | 496.0 | | |
| | 12 | 45.0 | | |
| 靖边县能化园区天然气管 线（榆能化专线） | 1 | 265.0 | 靖边压气站榆炼末站 | 靖边压气站、榆炼末站 |
| | 2 | 233.0 | | |
| | 3 | 233.0 | | |
| | 4 | 234.0 | | |
| | 5 | 151.0 | | |
| | 6 | 185.0 | | |
| | 7 | 282.0 | | |
| | 8 | 332.0 | | |
| | 9 | 327.0 | | |
| | 10 | 224.0 | | |
| | 11 | 273.0 | | |
| | 12 | 179.0 | | |
| 靖西一、二线与靖西三线 联络线输气管道工程（北 线） | 1 | 674.0 | / | 志丹压气站、延安压气站 |
| | 2 | 686.0 | | |
| | 3 | 699.0 | | |
| | 4 | 733.0 | | |
| | 5 | 834.0 | | |
| | 6 | 711.0 | | |
| | 7 | 960.0 | | |
| | 8 | 744.0 | | |
| | 9 | 684.0 | | |
| | 10 | 748.0 | | |
| | 11 | 830.0 | | |
| | 12 | 699.0 | | |
| 靖西三线至吴起输气管道 | 1 | 34.0 | / | 吴起宝泽门站 |
| | 2 | 40.0 | | |
| | 3 | 53.0 | | |
| | 4 | 52.0 | | |
| | 5 | 53.0 | | |
| | 6 | 52.0 | | |
| | 7 | 53.0 | | |
| | 8 | 53.0 | | |
| | 9 | 52.0 | | |
| | 10 | 53.0 | | |
| | 11 | 41.0 | | |
| | 12 | 34.0 | | |